

SAFETY DATA SHEET

Version 6.9 Revision Date 09/08/2024 Print Date 09/09/2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

	Product name	:	Zinc sulfate heptahydrate
	Product Number Brand Index-No. CAS-No.	:::::::::::::::::::::::::::::::::::::::	221376 SIGALD 030-006-00-9 7446-20-0
1.2 Relevant identified uses of the substance			of the substance or mixture and uses advised against
	Identified uses	:	Laboratory chemicals, Synthesis of substances
	Uses advised against	:	The product is being supplied under the TSCA R&D Exemption (40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by MilliporeSigma.

1.3 Details of the supplier of the safety data sheet

Company	:	Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES
Telephone Fax		+1 314 771-5765 +1 800 325-5052
Emergency telephone		
Emergency Phone #	:	800-424-9300 CHEMTREC (USA) +1-703- 527-3887 CHEMTREC (International) 24

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Hours/day; 7 Days/week

Acute toxicity, Oral (Category 4), H302 Serious eye damage (Category 1), H318 Short-term (acute) aquatic hazard (Category 1), H400

SIGALD - 221376

1.4

Page 1 of 12



Long-term (chronic) aquatic hazard (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram

$\mathbf{\wedge}$		\wedge
E.E.	$\langle ! \rangle$	
	\mathbf{V}	

	\vee \vee \vee
Signal Word	Danger
Hazard Statements H302 H318 H410	Harmful if swallowed. Causes serious eye damage. Very toxic to aquatic life with long lasting effects.
Precautionary Statements P264 P270 P273 P280 P301 + P312 + P330 P305 + P351 + P338 + P310	Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product. Avoid release to the environment. Wear eye protection/ face protection. IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue
P391 P501	rinsing. Immediately call a POISON CENTER/ doctor. Collect spillage. Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

SECTION 3: Composition/information on ingredients

3.1 Substances

Formula	:	$O_4SZn \cdot 7H_2O$
Molecular weight	:	287.56 g/mol
CAS-No.	:	7446-20-0
EC-No.	:	231-793-3
Index-No.	:	030-006-00-9

Component	Classification	Concentration			
Zinc sulfate heptahydrate					
	Acute Tox. 4; Eye Dam. 1; Aquatic Acute 1; Aquatic Chronic 1; H302, H318, H400, H410 M-Factor - Aquatic Acute: 1 M-Factor - Aquatic Chronic: 1	<= 100 %			

SIGALD - 221376

Page 2 of 12



SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Sulfur oxides Zinc/zinc oxides Not combustible. Ambient fire may liberate hazardous vapours.

5.3 Advice for firefighters In the event of fire, wear self-contained breathing apparatus.

5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SIGALD - 221376

Page 3 of 12



SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

- 6.2 **Environmental precautions** Do not let product enter drains.
- Methods and materials for containment and cleaning up 6.3 Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.
- 6.4 **Reference to other sections** For disposal see section 13.

SECTION 7: Handling and storage

Precautions for safe handling 7.1 For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions Tightly closed. Dry.

Hygroscopic.

Storage class Storage class (TRGS 510): 11: Combustible Solids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Appropriate engineering controls

Change contaminated clothing. Preventive skin protection recommended. Wash hands after working with substance.

SIGALD - 221376

Page 4 of 12



Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

Body Protection

protective clothing

Respiratory protection

Recommended Filter type: Filter type P2 The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a) Appearance

Form: powder, crystalline Color: white

SIGALD - 221376

Page 5 of 12



b)	Odor	No data available
c)	Odor Threshold	No data available
d)	рН	No data available
e)	Melting point/freezing point	Melting point: 100 °C (212 °F)
f)	Initial boiling point and boiling range	No data available
g)	Flash point	()Not applicable
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	No data available
k)	Vapor pressure	No data available
I)	Vapor density	No data available
m)	Density	1.97 g/cm3
	Relative density	No data available
n)	Water solubility	No data available
o)	Partition coefficient: n-octanol/water	Not applicable for inorganic substances
p)	Autoignition temperature	No data available
q)	Decomposition temperature	No data available
r)	Viscosity	No data available
s)	Explosive properties	Not classified as explosive.
t)	Oxidizing properties	none
Oth	ner safety informatio	n

9.2 Other safety information No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Violent reactions possible with:

SIGALD - 221376

Page 6 of 12



Strong oxidizing agents

10.4 Conditions to avoid

no information available

10.5 Incompatible materials Metals

10.6 Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Mouse - male - 926 mg/kg (OECD Test Guideline 401) Inhalation: No data available LD50 Dermal - Rat - male and female - > 2,000 mg/kg (OECD Test Guideline 402)

Skin corrosion/irritation

Skin - Rabbit Result: No skin irritation - 4 h (OECD Test Guideline 404)

Serious eye damage/eye irritation

Eyes - Rabbit Result: Causes serious eye damage. (OECD Test Guideline 405)

Respiratory or skin sensitization

Local lymph node assay (LLNA) - Mouse Result: negative Remarks: (ECHA)

Germ cell mutagenicity

Test Type: Ames test Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation Result: negative Remarks: (ECHA)

Test Type: In vivo micronucleus test Species: Mouse Cell type: Red blood cells (erythrocytes) Application Route: Intraperitoneal injection

Result: negative Remarks: (ECHA)

Carcinogenicity

SIGALD - 221376

Page 7 of 12



- IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard

No data available

11.2 Additional Information

RTECS: ZH5300000

Zinc oxide dust or fume can irritate the respiratory tract. Prolonged skin contact can produce a severe dermatitis called oxide pox. Exposure to high levels of dust or fume can cause metallic taste, marked thirst, coughing, fatigue, weakness, muscular pain, and nausea followed by fever and chills. Severe overexposure may result in bronchitis or pneumonia with a bluish tint to the skin., burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea, Vomiting, airway resistance, Cardiovascular effects., pulmonary edema, congestive heart failure

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Stomach - Irregularities - Based on Human Evidence

Stomach - Irregularities - Based on Human Evidence

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish	static test LC50 - Pimephales promelas (fathead minnow) - 0.330 mg/l - 96 h Remarks: (ECHA)
Toxicity to daphnia and other aquatic invertebrates	static test EC50 - Daphnia magna (Water flea) - 1.4 mg/l - 48 h (OECD Test Guideline 202)
Toxicity to algae	EC50 - Chlorella vulgaris (Fresh water algae) - 64.8 mg/l - 72 h Remarks: (IUCLID)

SIGALD - 221376

Page 8 of 12



	Toxicity to bacteria	static test EC50 - activated sludge - 5.2 mg/l - 3 h (OECD Test Guideline 209)		
	Toxicity to fish(Chronic toxicity)	flow-through test NOEC - Salmo trutta - 0.056 mg/l - 116 d (OECD Test Guideline 210)		
	Toxicity to daphnia and other aquatic invertebrates(Chronic toxicity)	semi-static test NOEC - Shrimp - 0.0318 mg/l - 7 d (US-EPA)		
12.2	Persistence and deg The methods for deter substances.	radability mining the biological degradability are not applicable to inorganic		
12.3	Bioaccumulative potential Bioaccumulation Channa punctata - 45 d at 27 °C(Zinc sulfate heptahydrate)			
		Bioconcentration factor (BCF): 0.4		
12.4	Mobility in soil No data available			
 12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted 12.6 Endocrine disrupting properties 				
12.0	No data available	y properties		
12.7	Other adverse effect	S		

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

SECTION 14: Transport information

DOT (US)

UN number: 3077 Class: 9 Packing group: III Proper shipping name: Environmentally hazardous substance, solid, n.o.s. (Zinc sulfate heptahydrate)

SIGALD - 221376

Page 9 of 12



Reportable Quantity (RQ): 1000 lbs Poison Inhalation Hazard: No

IMDG

UN number: 3077 Class: 9 EMS-No: F-A, S-F Packing group: III Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Zinc sulfate heptahydrate) Marine pollutant : yes Marine pollutant : no ΙΑΤΑ UN number: 3077 Class: 9 Packing group: III Proper shipping name: Environmentally hazardous substance, solid, n.o.s. (Zinc sulfate heptahydrate) **Further information** EHS-Mark required (ADR 2.2.9.1.10, IMDG code 2.10.3) for single packagings and combination packagings containing inner packagings with Dangerous Goods > 5L for liquids or > 5kg for solids.

SECTION 15: Regulatory information

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Zinc sulfate heptahydrate	7446-20-0	1000	1000

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	Acute Health Hazard Chronic Health Hazard		
SARA 313	The following components are subject to reporting levels established by SARA Title III, Section 313:		
	 : sulfate tahydrate	7446-20-0	>= 90 - <= 100 %

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B). This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61). This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F). This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

SIGALD - 221376

Page 10 of 12



Clean Water Act					
The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311,					
Table 116.4A: Zinc sulfate	7446-20-0	>= 90 - <= 100 %			
heptahydrate	7440-20-0	>= 90 - <= 100 %			
· · ·	nicals are listed unde	er the U.S. CleanWater Act, Section 311,			
Zinc sulfate heptahydrate	7446-20-0	>= 90 - <= 100 %			
This product contains the follo Section 307	wing toxic pollutants	s listed under the U.S. Clean Water Act			
Zinc sulfate heptahydrate	7446-20-0	>= 90 - <= 100 %			
· · ·	any priority pollutan	its related to the U.S. Clean Water Act			
US State Regulations					
Massachusetts Right To Kn	ow				
Zinc sulfate heptahydrate 7446-20-0					
Pennsylvania Right To Know	N				
Zinc sulfate heptahyo	Irate	7446-20-0			
Maine Chemicals of High Concern					
Product does not contain any listed chemicals					
Vermont Chemicals of High Concern					
Product does not contain any listed chemicals					
Washington Chemicals of High Concern					
Product does not contain any listed chemicals					
The ingredients of this product are reported in the following inventories:					

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16: Other information

Further information

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

SIGALD - 221376

Page 11 of 12



The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com. Version: 6.9 Revision Date: 09/08/2024 Print Date: 09/09/2024

SIGALD - 221376

Page 12 of 12

