

## SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Version 6.13 Revision Date 02.01.2025 Print Date 25.03.2025

GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Diphenylamine

Product Number : 112763

Brand : Sigma-Aldrich Index-No. : 612-026-00-5

REACH No. : A registration number is not available for this substance as the

substance or its uses are exempted from registration or the

annual tonnage does not require a registration.

CAS-No. : 122-39-4

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.

3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES

Telephone : +1 314 771-5765 Fax : +1 800 325-5052

1.4 Emergency telephone

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-

527-3887 CHEMTREC (International) 24

Hours/day; 7 Days/week

#### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

Acute toxicity, (Category 3) H301: Toxic if swallowed.

Acute toxicity, (Category 3) H331: Toxic if inhaled.

Acute toxicity, (Category 3) H311: Toxic in contact with skin.

Specific target organ toxicity - H373: May cause damage to organs repeated exposure, (Category 2), through prolonged or repeated exposure.

Kidney, Liver, spleen

Sigma-Aldrich- 112763 Page 1 of 11



Short-term (acute) aquatic

hazard, (Category 1)

H400: Very toxic to aquatic life.

Long-term (chronic) aquatic

hazard, (Category 1)

H410: Very toxic to aquatic life with long

lasting effects.

#### 2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram

Signal Word Danger

Hazard Statements

H301 + H311 + H331 Toxic if swallowed, in contact with skin or if inhaled.

H373 May cause damage to organs (Kidney, Liver, spleen) through

prolonged or repeated exposure.

Very toxic to aquatic life with long lasting effects. H410

**Precautionary Statements** 

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing.

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P302 + P352 + P312 IF ON SKIN: Wash with plenty of water. Call a POISON CENTER/

doctor if you feel unwell.

IF INHALED: Remove person to fresh air and keep comfortable P304 + P340 + P311

for breathing. Call a POISON CENTER/ doctor.

P314 Get medical advice/ attention if you feel unwell.

Supplemental Hazard

Statements

none

Reduced Labeling (<= 125 ml)

Pictogram

Signal Word Danger

**Hazard Statements** 

H301 + H311 + H331 Toxic if swallowed, in contact with skin or if inhaled.

Precautionary Statements

P280 Wear protective gloves/ protective clothing.

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor. P302 + P352 + P312 IF ON SKIN: Wash with plenty of water. Call a POISON CENTER/

doctor if you feel unwell.

P304 + P340 + P311 IF INHALED: Remove person to fresh air and keep comfortable

for breathing. Call a POISON CENTER/ doctor.

Supplemental Hazard

Statements

none

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Page 2 of 11 Sigma-Aldrich- 112763



#### Ecological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Formula :  $C_{12}H_{11}N$ Molecular weight : 169,22 g/mol CAS-No. : 122-39-4EC-No. : 204-539-4Index-No. : 612-026-00-5

Component		Classification	Concentration
diphenylamine			
CAS-No. EC-No. Index-No.	122-39-4 204-539-4 612-026-00-5	Acute Tox. 3; STOT RE 2; Aquatic Acute 1; Aquatic Chronic 1; H301, H331, H311, H373, H400, H410	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first-aid measures

#### **General advice**

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

#### If swallowed

If swallowed: give water to drink (two glasses at most). Seek medical advice immediately. In exceptional cases only, if medical care is not available within one hour, induce vomiting (only in persons who are wide awake and fully conscious), administer activated charcoal (20 - 40 g in a 10% slurry) and consult a doctor as quickly as possible.

## 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

Sigma-Aldrich- 112763 Page 3 of 11



## 4.3 Indication of any immediate medical attention and special treatment needed

No data available

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

#### Suitable extinguishing media

Water Foam Carbon dioxide (CO2) Dry powder

#### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

#### 5.2 Special hazards arising from the substance or mixture

Carbon oxides

Nitrogen oxides (NOx)

Combustible.

Development of hazardous combustion gases or vapours possible in the event of fire.

#### 5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

#### 5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

#### SECTION 6: Accidental release measures

## 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid generation and inhalation of dusts in all circumstances. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

#### 6.2 Environmental precautions

Do not let product enter drains.

#### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully. Dispose of properly. Clean up affected area. Avoid generation of dusts.

## 6.4 Reference to other sections

For disposal see section 13.

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

#### Advice on safe handling

Work under hood. Do not inhale substance/mixture.

#### **Hygiene measures**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

Sigma-Aldrich- 112763 Page 4 of 11



#### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

Tightly closed. Dry. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.

#### Storage class

Storage class (TRGS 510): 6.1C: Combustible, acute toxic Cat.3 / toxic compounds or compounds which causing chronic effects

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

Ingredients with workplace control parameters

#### 8.2 Exposure controls

**Personal protective equipment** 

#### **Eye/face protection**

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

#### Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

Internet: www.kcl.de).

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril® L

## **Body Protection**

protective clothing

#### Respiratory protection

required when dusts are generated.

Sigma-Aldrich- 112763 Page 5 of 11



Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type: Filter type P3

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

#### **Control of environmental exposure**

Do not let product enter drains.

## **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

a) Physical state crystallineb) Color white

c) Odor No data available

d) Melting Melting point/ range: 50 - 53 °C - lit. point/freezing point

e) Initial boiling point 302 °C - lit. and boiling range

f) Flammability (solid, No data available gas)

g) Upper/lower No data available flammability or explosive limits

h) Flash point No data availablei) Autoignition No data available

temperaturej) Decomposition No data available temperature

k) pH No data available

I) Viscosity Viscosity, kinematic: No data available Viscosity, dynamic: No data available

m) Water solubility insolublen) Partition coefficient: log Pow: 3,5 n-octanol/water

o) Vapor pressure 1 hPa at 108 °Cp) Density 1,160 g/cm3Relative density No data available

q) Relative vapor No data available density

r) Particle No data available characteristics

Sigma-Aldrich- 112763 Page 6 of 11



s) Explosive properties Not classified as explosive.

t) Oxidizing properties none

## 9.2 Other safety information

Surface tension 39,3 mN/m at 60 °C

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

#### 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).

#### 10.3 Possibility of hazardous reactions

Violent reactions possible with: Oxidizing agents Strong acids

#### 10.4 Conditions to avoid

no information available

## 10.5 Incompatible materials

No data available

## 10.6 Hazardous decomposition products

In the event of fire: see section 5

## **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

#### **Acute toxicity**

Acute toxicity estimate Oral - 100,1 mg/kg (Expert judgment)

Remarks: (Regulation (EC) No 1272/2008, Annex VI)

Acute toxicity estimate Inhalation - 4 h - 0,51 mg/l - dust/mist

(Expert judgment)

Acute toxicity estimate Dermal - 300 mg/kg

(Expert judgment)

#### Skin corrosion/irritation

Remarks: No data available

## Serious eye damage/eye irritation

Remarks: No data available

## Respiratory or skin sensitization

No data available

#### Germ cell mutagenicity

Test Type: gene mutation test

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Sigma-Aldrich- 112763 Page 7 of 11



Result: negative

Species: Mouse

Application Route: Oral

Method: OECD Test Guideline 474

Result: negative

Carcinogenicity

No data available

#### Reproductive toxicity

No data available

### Specific target organ toxicity - single exposure

No data available

## Specific target organ toxicity - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

- Kidney, Liver, spleen

## **Aspiration hazard**

No data available

#### 11.2 Additional Information

#### **Endocrine disrupting properties**

#### **Product:**

Assessment The substance/mixture does not contain

components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

RTECS: JJ7800000

Absorption into the body leads to the formation of methemoglobin which in sufficient concentration causes cyanosis. Onset may be delayed 2 to 4 hours or longer., Nausea, Vomiting, Liver injury may occur., Kidney injury may occur.

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

Toxicity to fish LC50 - Pimephales promelas (fathead minnow) - 3,79 mg/l - 96,0 h

LC50 - Oryzias latipes (Orange-red killifish) - 2,2 mg/l - 48 h

Remarks: (IUCLID)

Toxicity to daphnia and other aquatic invertebrates

EC50 - Daphnia magna (Water flea) - 2 mg/l - 48 h

(OECD Test Guideline 202)

Toxicity to algae EC50 - Pseudokirchneriella subcapitata (green algae) - 2,17 mg/l -

72 h

(OECD Test Guideline 201)

Sigma-Aldrich- 112763 Page 8 of 11



NOEC - Pseudokirchneriella subcapitata - 0,37 mg/l - 72 h

(OECD Test Guideline 201)

## 12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 28 d

Result: 26 % - Not readily biodegradable.

(OECD Test Guideline 301D)

## 12.3 Bioaccumulative potential

Bioaccumulation Cyprinus carpio (Carp)(diphenylamine)

Bioconcentration factor (BCF): 253

#### 12.4 Mobility in soil

No data available

## 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## 12.6 Endocrine disrupting properties

**Product:** 

Assessment : The substance/mixture does not contain components

considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## 12.7 Other adverse effects

No data available

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

No data available

### **SECTION 14: Transport information**

14.1 UN number

ADR/RID: 2811 IMDG: 2811 IATA: 2811

14.2 UN proper shipping name

ADR/RID: TOXIC SOLID, ORGANIC, N.O.S. (diphenylamine) IMDG: TOXIC SOLID, ORGANIC, N.O.S. (diphenylamine) IATA: Toxic solid, organic, n.o.s. (diphenylamine)

14.3 Transport hazard class(es)

ADR/RID: 6.1 IMDG: 6.1 IATA: 6.1

14.4 Packaging group

ADR/RID: III IMDG: III IATA: III

Sigma-Aldrich- 112763 Page 9 of 11



#### 14.5 Environmental hazards

ADR/RID: yes IMDG Marine pollutant: yes IATA: no

#### 14.6 Special precautions for user

Tunnel restriction code : (E)

Further information : No data available

## **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

## Authorisations and/or restrictions on use

#### **National legislation**

Seveso III: Directive 2012/18/EU of the H2 ACUTE TOXIC European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

E1 ENVIRONMENTAL HAZARDS

#### Other regulations

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.

Take note of Dir 94/33/EC on the protection of young people at work.

### 15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

#### **SECTION 16: Other information**

## **Full text of H-Statements**

H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H331	Toxic if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Sigma-Aldrich- 112763 Page 10 of 11



#### Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM -American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. -Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

#### **Further information**

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Sigma-Aldrich- 112763 Page 11 of 11



The life science business of Merck operates as MilliporeSigma in the US and Canada