

## SAFETY DATA SHEET

Creation Date 19-May-2010

Revision Date 23-Jul-2021

**Revision Number** 4

## 1. Identification

Product Name	ļ
--------------	---

0-1 11-

## Acetophenone

Cat No. :	A12727
CAS No	98-86-2
Synonyms	Methyl phenyl ketone; Phenyl methyl ketone.
Recommended Use	Laboratory chemicals.
Uses advised against	Food, drug, pesticide or biocidal product use.

## Details of the supplier of the safety data sheet

#### **Company**

Alfa Aesar Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757 **Email:** tech@alfa.com www.alfa.com

## **Emergency Telephone Number**

During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

## 2. Hazard(s) identification

## Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flommable liquide	Cotogon /	
Flammable liquids	Category 4	
Acute oral toxicity	Category 4	
Serious Eye Damage/Eye Irritation	Category 2	

## Label Elements

Signal Word Warning

Hazard Statements Combustible liquid Harmful if swallowed Causes serious eye irritation



## **Precautionary Statements**

Prevention

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Wear protective gloves/protective clothing/eye protection/face protection

## Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

## Ingestion

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

## Rinse mouth

Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

Storage

Store in a well-ventilated place. Keep cool

Disposal

Dispose of contents/container to an approved waste disposal plant Hazards not otherwise classified (HNOC)

None identified

## 3. Composition/Information on Ingredients

Component	CAS No	Weight %
Acetophenone	98-86-2	>95

	4. First-aid measures
General Advice	If symptoms persist, call a physician.
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.
Inhalation	Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur.
Ingestion	Clean mouth with water and drink afterwards plenty of water.
Most important symptoms and effects Notes to Physician	Difficulty in breathing. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting Treat symptomatically

5. Fire-fighting measures

Suitable Extinguishing Media	Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. Water mist may be used to cool closed containers.
Unsuitable Extinguishing Media	No information available
Flash Point	77 °C / 170.6 °F
Method -	No information available
Autoignition Temperature	535 °C / 995 °F
Explosion Limits Upper Lower Sensitivity to Mechanical Impac Sensitivity to Static Discharge	6.7 vol % 1.1 vol % t No information available No information available

## **Specific Hazards Arising from the Chemical**

Combustible material. Containers may explode when heated. Keep product and empty container away from heat and sources of ignition. Risk of ignition.

## Hazardous Combustion Products

Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>).

## **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

<u>NFPA</u> Health 2	Flammability 2	Instability 0	Physical hazards N/A
	6. Accidental rel	lease measures	
Personal Precautions			adequate ventilation. Remove all
Environmental Precautions	Should not be released into	recautionary measures agains the environment.	t static discharges.
Methods for Containment and Up	<b>I Clean</b> Soak up with inert absorbe Remove all sources of ignit		losed containers for disposal.
	7. Handling a	and storage	
Handling	Wear personal protective e	quipment/face protection. Ens	ure adequate ventilation. Do not

# Storage Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame.

## 8. Exposure controls / personal protection

## Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL (TWA)
Acetophenone	TWA: 10 ppm			TWA: 10 ppm

<u>Legend</u>

ACGIH - American Conference of Governmental Industrial Hygienists

Engineering Measures	Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.
Personal Protective Equipment	
Eye/face Protection	Tight sealing safety goggles. Face protection shield.
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties				
hysical State Liquid				
Appearance	Light yellow			
Odor	aromatic			
Odor Threshold	No information available			
рН	No information available			
Melting Point/Range	19.6 °C / 67.3 °F			
Boiling Point/Range	202 °C / 395.6 °F @ 760 mmHg			
Flash Point	77 °C / 170.6 °F			
Evaporation Rate	No information available			
Flammability (solid,gas)	Not applicable			
Flammability or explosive limits				
Upper	6.7 vol %			
Lower	1.1 vol %			
Vapor Pressure	1.3 mbar @ 20°C			
Vapor Density	No information available			
Specific Gravity	1.028			
Solubility	Soluble in water			
Partition coefficient; n-octanol/water	No data available			
Autoignition Temperature	535 °C / 995 °F			
Decomposition Temperature	No information available			
Viscosity	1.8 mPa.s at 20 °C			
Molecular Formula	C8 H8 O			
Molecular Weight	120.15			

## 10. Stability and reactivity

Reactive Hazard	None known, based on information available
Stability	Stable under normal conditions.
Conditions to Avoid	Incompatible products. Excess heat. Keep away from open flames, hot surfaces and sources of ignition.
Incompatible Materials	Strong oxidizing agents
Hazardous Decomposition Product	ts Carbon monoxide (CO), Carbon dioxide (CO₂)
Hazardous Polymerization	Hazardous polymerization does not occur.
Hazardous Reactions	None under normal processing.
	11. Toxicological information

## Acute Toxicity

## Product Information

Component Informa	ation						
Component		LD50 Oral				LC50 Inhalation	
Acetopheno	Acetophenone		900 mg/kg ( Rat ) 3300 mg/kg ( Rat ) 815 mg/kg ( Rat )		LC50 > 2.130	LC50 > 2.130 mg/L (Rat)8 h	
Toxicologically Syn	ergistic	No information avai	lable				
Products							
Delayed and immed	liate effects	as well as chronic effec	ts from short an	d long-term expo	sure		
Irritation		Irritating to eyes					
Sensitization		No information avail	lable				
Carcinogenicity		The table below ind	licates whether ea	ach agency has list	ted any ingredient	as a carcinogen	
Component	CAS No		NTP	ACGIH	OSHA	Mexico	
Acetophenone	98-86-2	-	Not listed	Not listed	Not listed	Not listed	
Mutagenic Effects		Not mutagenic in Al	MES Test		-		
Reproductive Effec	ts	No information avai	No information available.				
Developmental Effe	mental Effects No information available.						
Teratogenicity		No information avail	No information available.				
STOT - single expo STOT - repeated ex		None known None known					
Aspiration hazard		No information avail	lable				
Symptoms / effects delayed	s,both acute	and Symptoms of overea	Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting				
Endocrine Disrupto	r Informatio	Information No information available					
Other Adverse Effe	cts	The toxicological pro	The toxicological properties have not been fully investigated.				

## 12. Ecological information

## Ecotoxicity

Component	Freshwater Algae		Freshwa	ter Fish	Microtox	Water Flea			
Acetophenone	Not listed		Brachydanio rerio: LC50 =		EC50 = 15.5 mg/L 15 min	EC50 = 162 mg/L 48h			
			155 mg/L 96h						
Persistence and Degradability Persisten			is unlikely						
Bioaccumulation/ Accumulation No infor			information available.						
Mobility	t due to its water solubility	<i>.</i>							
Component				log Pow					
A	Acetophenone				1.7				
		13. Di	isposal c	onsidera	ations				
Vaste Disposal Methods Chemical waste generato hazardous waste. Chemi national hazardous waste				al waste gen	erators must also consult	local, regional, and			
Component			RCRA - U Series Wastes		astes RCR	RCRA - P Series Wastes			

Acetophenone - 98-86	-2 U004 -
	14. Transport information
DOT	COMBUSTIBLE LIQUID, NOT REGULATED FOR TRANSPORT IN THIS QUANTITY According to 49 CRF §173.150(f)(1), this material should reclassified as NA1993, Combustible Liquid, NOS if it is shipped in bulk.
UN-No	NA1993
Proper Shipping Name Technical Name	Combustible liquid, n.o.s. Acetophenone
Packing Group TDG	III Not regulated
IATA IMDG/IMO	Not regulated Not regulated
	15. Regulatory information

#### United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active/Inactive	TSCA - EPA Regulatory Flags	
Acetophenone	98-86-2	Х	ACTIVE	TP	

#### Legend:

TSCA - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TP - Indicates a substance that is the subject of a proposed TSCA Section 4 test rule

TSCA 12(b) - Notices of Export Not applicable

#### International Inventories

China, X = listed, Australia, U.S.A. (TSCA), Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Australia (AICS), Korea (KECL), China (IECSC), Japan (ENCS), Philippines (PICCS).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Acetophenone	98-86-2	Х	-	202-708-7	Х	Х	Х	Х	Х	KE-28355

#### U.S. Federal Regulations

## SARA 313

Component	CAS No	Weight %	SARA 313 - Threshold Values %
Acetophenone	98-86-2	>95	1.0

SARA 311/312 Hazard Categories See section 2 for more information

**CWA (Clean Water Act)** 

Not applicable

Not applicable

#### **Clean Air Act**

Component	HAPS Data	Class 1 Ozone Depletors	Class 2 Ozone Depletors
Acetophenone	Х		-

# **OSHA** - Occupational Safety and Health Administration

## CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Com	oonent	Hazardou	Hazardous Substances RQs CE			
Acetop	ohenone		5000 lb			
California Proposition 6	5 This pro	oduct does not conta	in any Proposition 65 c	hemicals.		
U.S. State Right-to-Knov Regulations	N					
Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island	
Acetophenone	X	X	X	X	X	
		1	1			
U.S. Department of Tran	sportation					
Reportable Quantity (RQ)						
DOT Marine Pollutant	Ν					
DOT Severe Marine Pollu	itant N					
U.S. Department of Hom	neland This pro	oduct does not conta	in any DHS chemicals.			
Security						
Other International Reg	ulations					
Mexico - Grade	Modera	te risk, Grade 2				
		1/ 0+1	6			
		16. Other in				
Prepared By		Safety and Environn	nental Department			
		ech@alfa.com				
	www.al	a.com				
Creation Date	19-May	-2010				
Revision Date	23-Jul-2					
Print Date	23-Jul-2					
Revision Summary			ate, replaces ChemGes	s SDS No. 98-86-2	2.	
· · · · · · · · · · · · · · · · · · ·			,			
Disclaimer						

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

## **End of SDS**